

# Pecan Eco L

GPE.0300



A

**Ø**  
150  
Pijpdiameter (mm)  
Pipe diameter (mm)  
Diamètre buse (mm)  
Abgasstutzen (mm)

**KG**  
350  
Gewicht (kg)  
Weight (kg)  
Poids (kg)  
Gewicht (kg)

**→**  
Externe luchttoevoer  
External air supply  
Prise d'air extérieure  
Externer Luftanschluss

**%**  
82,0  
Efficiëntie  
Efficiency  
Efficacité  
Effizienz


**↑**  
Bovenaansluiting  
Connection top  
Raccordement dessus  
Anschluss oben

**🪨**  
Natuursteen  
Natural stone  
Pierre naturelle  
Naturstein

**kW**  
8,0  
Vermogen output (kW)  
Capacity output (kW)  
Puissance output (kW)  
Leistung output (kW)

**←**  
Achteraansluiting  
Connection back  
Raccordement arrière  
Anschluss hinten

**B<sup>2</sup>**  
Bimsch 2  
Bimsch 2  
Bimsch 2  
Bimsch 2



Wanders fires & stoves  
Amtweg 4  
7077 AL NETTERDEN  
The Netherlands  
Tel: +31(0)315 - 386 414  
Fax: +31 (0)315 - 386 201  
info@wanders.nl  
www.wanders.nl



**wanders**  
fires & stoves

# Pecan Eco M

GPE.0200



A

**Ø**  
150  
Pijpdiameter (mm)  
Pipe diameter (mm)  
Diamètre buse (mm)  
Abgasstutzen (mm)

**KG**  
310  
Gewicht (kg)  
Weight (kg)  
Poids (kg)  
Gewicht (kg)

**Natuursteen**  
Natural stone  
Pierre naturelle  
Naturstein

**%**  
82,0  
Efficiëntie  
Efficiency  
Efficacité  
Effizienz


**Bovenaansluiting**  
Connection top  
Raccordement dessus  
Anschluss oben

**B<sup>2</sup>**  
Bimsch 2  
Bimsch 2  
Bimsch 2  
Bimsch 2

**kW**  
8,0  
Vermogen output (kW)  
Capacity output (kW)  
Puissance output (kW)  
Leistung output (kW)

**Externe luchttoevoer**  
External air supply  
Prise d'air extérieure  
Externer Luftanschluss

**Hi<sup>2</sup>**  
HIGHLY INSULATED INTERIOR



Wanders fires & stoves | Tel: +31(0)315 - 386 414  
Amtweg 4 | Fax: +31 (0)315 - 386 201  
7077 AL NETTERDEN | info@wanders.nl  
The Netherlands | www.wanders.nl

**wanders**  
fires & stoves



**Ø 150** Pijpdiameter (mm)  
Pipe diameter (mm)  
Diamètre buse (mm)  
Abgasstutzen (mm)

**KG 290** Gewicht (kg)  
Weight (kg)  
Poids (kg)  
Gewicht (kg)

**Natuursteen**  
Natural stone  
Pierre naturelle  
Naturstein

**% 82,0** Efficiëntie  
Efficiency  
Efficacité  
Effizienz

**Bovenaansluiting**  
Connection top  
Raccordement dessus  
Anschluss oben

**B<sup>2</sup>** Bimsch 2  
Bimsch 2  
Bimsch 2  
Bimsch 2

**kW 8,0** Vermogen output (kW)  
Capacity output (kW)  
Puissance output (kW)  
Leistung output (kW)

**Externe luchttoevoer**  
External air supply  
Prise d'air extérieure  
Externer Luftanschluss

**Hi<sup>2</sup>**  
HIGHLY INSULATED INTERIOR

