

KOMFORT SMALL

Features

- Cabin made of solid spruce
- Solid roof element with roof rim
- "Prestige" interior made of lime wood
- 2 benches (1 x 620 mm and 1 x 530 mm)
- 1 headrest
- Ventilation slit
- Backrests
- Intermediate bench panel
- Heater protection grille (W 550 x D 455 x H 750 mm)
- Floor grid
- Lamp with protection without bulb
- Door made of single pane safety glass



Details

Art.-Nr.	1-030-276 KOMFORT-S
Dimensions [mm]	2080 x 1580 x 2040
Construction	Solide
Wall thickness [mm]	40
Type of wood outside	Spruce
Type of wood ininside	Spruce
Type of wood interior	Lime
Interior fittings	Prestige
Benches number (top / above)	1/1
Adjustable headboard on a bench	No
Door dimensions [mm]	590 x 1915 x 8
Door hinge left and right	Ja
Glass elements dimensions [mm]	506 x 1776 x 8
Infrared full spectrum heater [W]	No
Headrests number	1
Heater safety guard [mm]	550 x 455 x 750
Floor grid [mm]	700 x 530 x 40
Silicone cables for Saunaheater 5x2,5mm ²	3 m
Silicone cables for Saunalight 3x1,5mm ²	3 m
Persons	3
Volume [m ³]	6,7
recommended Heater power electro [kW]	6
Mirror structure	Yes

Accessoires

LED-Set
LED-K0-S




datasheet




KOMFORT SMALL

Floor plan

Structure left



Structure right



Installation plan accessories



KOMFORT SMALL

Ausstattung

- Kabine aus massiver Fichte
- Massives Dachelement mit Dachkranz
- Inneneinrichtung „Prestige“ aus Linde
- 2 Bänke (1x 620 mm und 1 x 530 mm)
- 1 Kopfstütze
- Lüftungsschieber
- Rückenlehne
- Zwischenbankverblendung
- Ofenschutzgitter (B 550 x T 455 x H 750mm)
- Bodenrost
- Lampe mit Lampenschutz ohne Leuchtmittel
- Türe aus ESG Glas



Details

Art.-Nr.	1-030-276 KOMFORT-S
Abmessungen [mm]	2080 x 1580 x 2040
Bauweise	massiv
Wandstärke [mm]	40
Holzart außen	Fichte
Holzart innen	Fichte
Holzart Inneneinrichtung	Linde
Inneneinrichtung	Prestige
Bänke Anzahl (oben / unten)	1/1
Verstellbares Kopfteil bei einer Bank	Nein
Türe Abmessungen [mm]	590 x 1915 x 8
Türanschlag links und rechts	Ja
Glaselemente Abmessungen [mm]	506 x 1776 x 8
Infrarot-Vollspektrumstrahler [W]	Nein
Kopfstützen Anzahl	1
Ofenschutzgitter [mm]	550 x 455 x 750
Bodenrost [mm]	700 x 530 x 40
Silikonkabel für Saunaofen 5x2,5mm ²	3 m
Silikonkabel für Saunalicht 3x1,5mm ²	3 m
Personen	3
Volumen [m ³]	6,7
empf. Ofenleistung elektro [kW]	6
Spiegelverkehrter Aufbau	Ja

Zubehör

LED-Set
LED-KO-S




Datenblatt




KOMFORT SMALL

Grundriss

Aufbau links



Aufbau rechts



Installationsplan Zubehör

