

# BASIC LARGE

## Features

- Cabin made of solid spruce
- Roof element
- "Basic" interior made of spruce
- 3 x 500 mm wide benches
- 1 headrest
- Ventilation slit
- Heater protection grille (W 550 x D 450 x H 730 mm)
- Lamp protection with lamp, no bulb
- Door made of single pane safety glass



## Details

<b>Art.-Nr.</b>	<b>1-030-306</b> <b>BASIC-L</b>
Dimensions [mm]	1945 x 1865 x 2040
Construction	Solide
Wall thickness [mm]	40
Type of wood outside	Spruce
Type of wood ininside	Spruce
Type of wood interior	Spruce
Interior fittings	Basic
Benches number (top / above)	2/1
Adjustable headboard on a bench	No
Door dimensions [mm]	647 x 1695 x 8
Door hinge left and right	Yes
Glass elements dimensions [mm]	-
Infrared full spectrum heater [W]	No
Headrests number	1
Heater safety guard [mm]	550 x 450 x 730
Floor grid [mm]	-
Silicone cables for Saunaheater 5x2,5mm <sup>2</sup>	3 m
Silicone cables for Saunalight 3x1,5mm <sup>2</sup>	3 m
Persons	5
Volume [m <sup>3</sup> ]	7,3
recommended Heater power electro [kW]	7,5 - 9
Mirror structure	Yes

## Accessoires

**LED-Set**  
LED-BA-L




datasheet




# BASIC LARGE

## Floor plan


Structure left



Structure right



## Installation plan accessories



# BASIC LARGE

## Ausstattung

- Kabine aus massiver Fichte
- Dachelement
- Inneneinrichtung „Basic“ aus Fichte
- 3 Bänke 500 mm breit
- 1 Kopfstütze
- Lüftungsschieber
- Ofenschutzgitter (B 550 x T 450 x H 730mm)
- Lampenschutz mit Lampe ohne Leuchtmittel
- Türe aus ESG Glas



## Details

<b>Art.-Nr.</b>	<b>1-030-306</b> <b>BASIC-L</b>
Abmessungen [mm]	1945 x 1865 x 2040
Bauweise	massiv
Wandstärke [mm]	40
Holzart außen	Fichte
Holzart innen	Fichte
Holzart Inneneinrichtung	Fichte
Inneneinrichtung	Basic
Bänke Anzahl (oben / unten)	2/1
Verstellbares Kopfteil bei einer Bank	Nein
Türe Abmessungen [mm]	647 x 1695 x 8
Türanschlag links und rechts	Ja
Glaselemente Abmessungen [mm]	-
Infrarot-Vollspektrumstrahler [W]	Nein
Kopfstützen Anzahl	1
Ofenschutzgitter [mm]	550 x 450 x 730
Bodenrost [mm]	-
Silikonkabel für Saunaofen 5x2,5mm <sup>2</sup>	3 m
Silikonkabel für Saunalicht 3x1,5mm <sup>2</sup>	3 m
Personen	5
Volumen [m <sup>3</sup> ]	7,3
empf. Ofenleistung elektro [kW]	7,5 - 9
Spiegelverkehrter Aufbau	Ja

## Zubehör

**LED-Set**  
LED-BA-L




Datenblatt




# BASIC LARGE

## Grundriss

Aufbau links



Aufbau rechts



## Installationsplan Zubehör

