



**Ø** Pijpdiameter (mm)  
Pipe diameter (mm)  
Diamètre buse (mm)  
Abgasstutzen (mm)  
100/150

**KG** Gewicht (kg)  
Weight (kg)  
Poids (kg)  
Gewicht (kg)  
75

**⚡** Elektrische ontsteking  
Electrical ignition  
Allumage électrique  
Elektrische Zündung

**🔥** Houtset  
Wood logs  
Bûche  
Holzsatz

**%** Efficiëntie  
Efficiency  
Efficacité  
Effizienz  
91,2

**🔌** Bovenaansluiting  
Connection top  
Raccordement dessus  
Anschluss oben

**🔥** Aardgas  
Natural gas  
Gaz naturel  
Erdgas





**🔒** Gesloten systeem  
Balanced flue  
Système ventouse  
Raumluftunabhängig

**kW** Vermogen output (kW)  
Capacity output (kW)  
Puissance output (kW)  
Leistung output (kW)  
5,3

**📶** Afstandsbediening  
Remote control  
Commande à distance  
Fernbedienung

**🔥** Propan  
Propane  
Propane  
Propan

**🕒** Timer met thermostaat  
Timer with thermostat  
Minuterie et thermostat  
Timer mit Thermostat





Pijpdiameter (mm)  
Pipe diameter (mm)  
Diamètre buse (mm)  
Abgasstutzen (mm)



Gewicht (kg)  
Weight (kg)  
Poids (kg)  
Gewicht (kg)



Electrische ontsteking  
Electrical ignition  
Allumage électrique  
Elektrische Zündung



Houtset  
Wood logs  
Bûche  
Holzsatz



Efficiëntie  
Efficiency  
Efficacité  
Effizienz



Bovenaansluiting  
Connection top  
Raccordement dessus  
Anschluss oben



Aardgas  
Natural gas  
Gaz naturel  
Erdgas



Gesloten systeem  
Balanced flue  
Système ventouse  
Raumluftunabhängig



Vermogen output (kW)  
Capacity output (kW)  
Puissance output (kW)  
Leistung output (kW)







Afstandsbediening  
Remote control  
Commande à distance  
Fernbedienung



Propan  
Propane  
Propane  
Propan



Timer met thermostaat  
Timer with thermostat  
Minuterie et thermostat  
Timer mit Thermostat





**Ø** Pijpdiameter (mm)  
Pipe diameter (mm)  
Diamètre buse (mm)  
Abgasstutzen (mm)  
100/150

**KG** Gewicht (kg)  
Weight (kg)  
Poids (kg)  
Gewicht (kg)  
63

**⚡** Elektrische ontsteking  
Electrical ignition  
Allumage électrique  
Elektrische Zündung

**🔥** Houtset  
Wood logs  
Bûche  
Holzsatz

**%** Efficiëntie  
Efficiency  
Efficacité  
Effizienz  
91,2

**🔌** Bovenaansluiting  
Connection top  
Raccordement dessus  
Anschluss oben

**🔥** Aardgas  
Natural gas  
Gaz naturel  
Erdgas





**🔒** Gesloten systeem  
Balanced flue  
Système ventouse  
Raumluftunabhängig

**kW** Vermogen output (kW)  
Capacity output (kW)  
Puissance output (kW)  
Leistung output (kW)  
5,3

**📶** Afstandsbediening  
Remote control  
Commande à distance  
Fernbedienung

**🔥** Propane  
Propane  
Propane  
Propan

**🕒** Timer met thermostaat  
Timer with thermostat  
Minuterie et thermostat  
Timer mit Thermostat





Pijpdiameter (mm)  
Pipe diameter (mm)  
Diamètre buse (mm)  
Abgasstutzen (mm)



Gewicht (kg)  
Weight (kg)  
Poids (kg)  
Gewicht (kg)



Electrische ontsteking  
Electrical ignition  
Allumage électrique  
Elektrische Zündung



Houtset  
Wood logs  
Bûche  
Holzsatz



Efficiëntie  
Efficiency  
Efficacité  
Effizienz



Bovenaansluiting  
Connection top  
Raccordement dessus  
Anschluss oben



Aardgas  
Natural gas  
Gaz naturel  
Erdgas



Gesloten systeem  
Balanced flue  
Système ventouse  
Raumluftunabhängig



Vermogen output (kW)  
Capacity output (kW)  
Puissance output (kW)  
Leistung output (kW)



Afstandsbediening  
Remote control  
Commande à distance  
Fernbedienung



Propan  
Propane  
Propane  
Propan



Timer met thermostaat  
Timer with thermostat  
Minuterie et thermostat  
Timer mit Thermostat

